




Top View



Bottom View
(only male pins shown for drawing clarity)




Side View



- 1 Substrate: 0.0625"±0.007" FR4/G10 or equivalent high temp material. 1/2 oz. Cu clad. SnPb plating
- 2 Pins: Material- Brass Alloy 360 1/2 hard; finish- 10µ" Au over 50µ" Ni (min.).
- 3 Pins: shell material- Brass Alloy 360 1/2 hard; finish- 10µ" Au over 50µ" Ni (min.). Contact material- BeCu; finish 10µ" Au over 100µ" Ni (min.)

Description: PGA ZIF Prototyping Adaptor
 145 position PGA ZIF socket (0.100" centers) to type C prototyping panel base terminal pins (0.100" centers). Add "W" to part number for optional wire wrap base.

All tolerances: ±0.005" (unless stated otherwise). Materials and specifications are subject to change without notice.

	PA-PGA145-02Z(W) Drawing	Status: Released	Scale 4:3	Rev: A
	© 1994 IRONWOOD ELECTRONICS, INC. PO BOX 21151 ST. PAUL, MN 55121 Tele: (651) 452-8100 www.ironwoodelectronics.com	Drawing: W. Watson		Date: 10/7/99
		File: PA-PGA145-02Z Dwg		Modified: