



Top View



Side View

End View


This part is appropriate for the following devices:

PIC17CR42	PIC17CR43
PIC17C42A	PIC17C44
PIC17C43	PIC17C42

- 1 Substrate: 0.0625"±0.007" FR4/G10 or equivalent high temp material. 1/2 oz. Cu clad. SnPb plating
- 2 Pins: Material- Brass Alloy 360 1/2 hard; finish- 10µ" Au over 50µ" Ni (min.).
- 3 Pins: shell material- Brass Alloy 360 1/2 hard; finish- 10µ" Au over 50µ" Ni (min.). Contact material- BeCu; finish 10µ" Au over 100µ" Ni (min.)

Description: Package Converter:
40 position DIP to 44 position surface mount foot .

All tolerances: ±0.005" (unless stated otherwise). Materials and specifications are subject to change without notice.

PC-DIP/QFP-1742-L-01 Drawing		Status: Released	Scale 2:1	Rev: B
 <p>© 1993 IRONWOOD ELECTRONICS, INC. PO BOX 21151 ST. PAUL, MN 55121 Tele: (651) 452-8100 www.ironwoodelectronics.com</p>	Drawing: P. Jasmin		Date: 9/22/93	
	File: PC-DIP/QFP-1742-L-01 Dwg		Modified: 6/5/98	